## KONE MonoSpace Home

## Elevate everyday living

The machine-room-less elevator for home





## Seven reasons to choose KONE MonoSpace Home



#### Greater safety & reliability

- KONE EcoDisc<sup>®</sup> Motor: Built for safety, the fourth-generation motor is more reliable and durable, with a compact design that saves space. Its innovative placement also makes maintenance and repair easier, enhancing longterm dependability.
- Emergency Power Backup: Keeps the lift operational during outages, ensuring peace of mind.
- KONE Remote Monitoring: Offers 24/7 monitoring to enhance safety and security in your home.
- Curtain of Light: A safety feature that senses if someone or something is in the way of the doors, preventing accidental injury.

#### Excellent eco-efficiency

 Energy-Efficient Drive System: The KONE MonoSpace Home lift delivers impressive energy savings, with a motor twice as efficient as traditional motors and a 10% reduction in energy loss, contributing to lower energy bills and a smaller carbon footprint.

#### Superb ride comfort

3

4

 Smooth Ride Experience: The advanced control system provides a quiet, smooth ride, offering a premium feel that integrates seamlessly with the comfort of your home.

#### Optimised for home installation

- Custom Fit for Homes: Designed with dimensions optimised for different home heights, ensuring a perfect fit and aesthetic alignment with your space.
- Accessibility Features
- Delayed Door Opening: Gives extra time for entry and exit, assisting those with limited mobility.
- Double-Tap Cancellation: Allows you to cancel incorrect floor selections with a simple double tap.
- Accurate Levelling: Ensures precise levelling, reducing the risk of trips and falls.

#### Standards compliant

 Meeting Key Standards: The KONE MonoSpace Home elevator meets AS 1735.18-2002 standards.

#### Design options



5

- Car Design Themes: Choose from six functional and stylish designs to suit your home's aesthetic.
- Customisable Interior: Mix and match materials and finishes to create a look that complements your interior design.

#### Reliable care for years to come




 Preventive maintenance: With KONE 24/7 Connected Services, you'll be notified when your elevator equipment needs examining - providing you full transparency and improved safety.

2



## Ceilings

## Handrails





.

4

## Car signalisation devices


#### KDS330 HOME



Physical button car operating panel

Touch screen car operating panel

#### Landing signalisation devices



out key switch

0 call station (LCS) with-

Surface mount LCS with



0


KDS330

00000

000

Partial height car operating panel

Scan to design your





key switch


Note: KDS330 Home is not available when service floors > 5

own home elevator

KONE MonoSpace Home



## Planning guide



#### Product range

Load:	250/320/400 kg max.
Travel:	18 m Max. stops: 6
Speed: Power supply:	0.4 m/s 415 V, 3-Phase

Persons/rated load (Kg)	Car size BB x DD (mm)	Door type	Car type	LL (mm)	Shaft WW x WD (mm)
03/250	000 000	CO	SEC	700	1520 - 1200
	800 × 900	SO	SEC	700	1350 - 1285
		СО	SEC	700	1550 - 1430
	-	СО	SEC	800	1750 - 1430
04/320 900 -		SO	SEC	700	1450 - 1500
	900 - 1000	SO	SEC	800	1500 - 1500
		SO	TTC	700	1530 - 1560
		SO	TTC	800	1680 - 1560
		СО	SEC	700	1550 - 1530
	- 900 – 1200 –	СО	SEC	800	1750 - 1530
		SO	SEC	700	1450 - 1600
04/320		SO	SEC	800	1500 - 1600
		SO	800 - 2250	700	1530 - 1760
		SO	2000 - 2600	800	1680 - 1760
		СО	SEC	800	1750 - 1480
05/400	950 - 1100	SO	SEC	800	1500 - 1550
		SO	TTC	800	1680 - 1660
05/400		со	SEC	800	1750 - 1550
	1000 - 1250	SO	SEC	800	1550 - 1630
		SO	TTC	800	1680 - 1810

Speed (m/s)	0.4
Car Height CH (mm)	2100/2200/2300/2400
Door Height HH (mm)	2000/2100
Overhead SH (mm)	CH + 700
Pit PH (mm)	450
Maximum overhead SH (mm)	5000
Maximum pit PH (mm)	1150

KEY		
LL	Landing Door Width	
LR	Landing rough opening	
WW	Shaft Well Width	
WD	Shaft Well Depth	
BB	Car Width	
DD	Car Depth	
SEC	Single entrance car	
TTC	Through car (entrance front and rear)	
СО	Centre opening	
SO	Side opening	
SH	Shaft headroom (Overhead)	
СН	Car height	
PH	Pit height	

Please consult local KONE sales representatives for details

# Ongoing maintenance is essential.

Now that you have a smart, private home lift, you'll want to keep it running smoothly for years to come.

Thanks to our global network of technicians, there's always someone local to you who can help. With our Al-powered preventive maintenance - KONE 24/7 Connected Services, you'll be notified when your elevator equipment needs examining – before it becomes a problem.

For you, it means improved safety, full transparency and ease of mind, because if something were to happen, we'd already know.



AUSTRALIA	www.kone.com.au	NEW ZEALAND	www.kone.co.nz
ACT		NTH	
Canberra and South West	+61 2 6123 2600	Auckland	+64 9 361 9000
NSW		Wellington	+64 4 381 4330
Sydney	+61 2 9577 7000	STH	
Newcastle and North Coast	+61 2 4949 3333	Christchurch	+64 3 338 3900
QLD		Dunedin	+64 3 477 5627
Brisbane	+61 7 3270 1811		
Cairns	+61 7 3270 1810		
Gold Coast	+61 7 3270 1810		
Sunshine Coast	+61 7 3270 1810		
Townsville	+61 7 3270 1810		
NT			
Darwin	+61 7 3270 1810		
WA			
Perth	+61 8 9270 9000		
SA			
Adelaide	+61 8 8130 3800		
TAS			
Hobart	+61 3 6231 2045		
VIC			
Melbourne	+61 3 9934 8000		

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement this publication contains shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colours may exist. KONE MonoSpace® DX, KONE EcoDisc®, KONE Care® and People Flow® are registered trademarks of KONE Corporation. Copyright © 2025 KONE Corporation

Dedicated to People Flow<sup>™</sup>

February 2025

KONE

Want to know more? Contact your KONE representative today! www.kone.com.au www.kone.co.nz